

PMC-12 1/8"通徑 PLC-12 1/4"通徑 P.P.製

規格

- ✓工作壓力:真空至120 psi, 8.3 bar
- ✓連續使用溫度:0°C至71°C
- ✓可以Gamma射線滅菌

應用例

- ✓相片沖洗用化學品
- ✓電鍍液
- ✓腐蝕性化學品
- ✓醫療設備

材質

- ✓本體及閥: P.P.
- ✓內彈簧: 316不銹鋼
- ✓O-Ring: EPDM,其它材質選用
- ✓顏色: 淺土黃色



快速接頭母座 Bodies

螺紋及管徑	編號 (直通)	編號 (附閥)	通徑	長度	
外牙固定 Rigid Mount					
1/8" NPT	PMC 100212	PMCD 100212	1/8"	1.00"	
1/4" NPT	PMC 100412	PMCD 100412	1/8"	1.10"	外
1/4" NPT	PLC 100412	PLCD 1000412	1/4"	1.15"	牙
3/8" NPT	PLC 100612	PLCD 1000612	1/4"	1.15"	
面板固定 Panel Mount <<					
1.4" x 0.170" (6 x 4.3mm)	PMC 120412	PMCD 120412	1/8"	1.72"	迫
3/8" x 0.250" (9.6 x 6mm)	PLC 1200612	PLCD 1200612	1/4"	1.95"	緊
<hr/>					
1/16" (1.6mm) ID	PMC 160112	PMCD 160112	1/8"	1.40"	
1/8" (3.2mm) ID	PMC 160212	PMCD 160212	1/8"	1.65"	管
1/4" (6.4mm) ID	PMC 160412	PMCD 160412	1/8"	1.85"	
1/4" (6.4mm) ID	PLC 1600412	PLCD 1600412	1/4"	1.95"	鉤
3/8" (9.5mm) ID	PLC 1600612	PLCD 1600612	1/4"	1.95"	
<hr/>					
線上連接 In Line					
1.4" x 0.170" (6 x 4.3mm)	PMC 130412	PMCD 130412	1/8"	1.74"	迫
3/8" x 0.250" (9.6 x 6mm)	PLC 1300612	PLCD 1300612	1/4"	1.96"	緊
<hr/>					
1/16" (1.6mm) ID	PMC 170112	PMCD 170112	1/8"	1.41"	
1/8" (3.2mm) ID	PMC 170212	PMCD 170212	1/8"	1.67"	管
1/4" (6.4mm) ID	PMC 170412	PMCD 170412	1/8"	1.87"	
1/4" (6.4mm) ID	PLC 1700412	PLCD 1700412	1/4"	1.97"	鉤
3/8" (9.5mm) ID	PLC 1700612	PLCD 1700612	1/4"	1.97"	
<hr/>					
1/4" x 3/8" (6 x 9.5mm)	-----	PLCD 17040612	1/4"	2.30"	軟管
3/8" x 1/2" (9.5 x 12.7mm)	-----	PLCD 17060812	1/4"	2.36"	迫緊



- << 面板固定孔直徑: PMC 1/2" PLC 11/16".
- << 面板厚度: 1/2" max. PMC 0.050" PLC 0.020" min.
- << 面板固定螺帽: PMC 5/8" PLC 3/4" 六角螺帽.



快速接頭插 Inserts

螺紋及管徑	編號 (直通)	長度	編號 (附閥)	通徑	長度
外牙固定 Rigid Mount					
1/8" NPT	PMC 240212	1.03"	PMCD 240212	1/8"	1.45"
1/4" NPT	PLC 2400412	1.26"	PLCD 2400412	1/4"	1.67"
面板固定 Panel Mount «					
1/4" (6.4mm) ID	PLC 4200412	1.91"	PLCD 4200412	1/4"	2.05" 管
3/8" (9.5mm) ID	PLC 4200612	1.91"	PLCD 4200612	1/4"	2.05" 鉤
直接頭 Straight					
1/4" x 0.170" (6 x 4.3mm)	PMC 200412	1.15"	PMCD 200412	1/8"	1.58" 迫
3/8" x 0.250" (9.5 x 6mm)	PLC 2000612	1.68"	PLCD 2000612	1/4"	1.82" 緊
1/16" ID	PMC 220112	0.80"	PMCD 220112	1/8"	1.47"
1/8" (3.2mm) ID	PMC 220212	1.05"	PMCD 220212	1/8"	1.67" 管
1/4" (6.4mm) ID	PMC 220412	1.25"	PMCD 220412	1/8"	1.71"
1/4" (6.4mm) ID	PLC 2200412	1.35"	PLCD 2200412	1/4"	2.00" 鉤
3/8" (9.5mm) ID	PLC 2200612	1.35"	PLCD 2200612	1/4"	1.82"
1/4" x 3/8" (9.5 x 6mm)	-----		PLCD 22400612	1/4"	2.23" 軟管
3/8" x 1/2" (12.7 x 9.5mm)	-----		PLCD 22060812	1/4"	2.18" 迫緊
彎頭 Elbows					
1/4" x 0.170" (6 x 4.3mm)	-----		PMCD 210412	1/8"	1.21" 迫
3/8" x 0.250" (9.5 x 6mm)	PLC 2100612	1.29"	PLCD 2100612	1/4"	1.36" 緊
1/8" (3.2mm) ID	PMC 230212	1.09"	PMCD 230212	1/8"	1.21"
1/4" (6.4mm) ID	PMC 230412	1.09"	PMCD 230412	1/8"	1.21" 管
1/4" (6.4mm) ID	PLC 2300412	1.22"	PLCD 2300412	1/4"	1.36" 鉤
3/8" (9.5mm) ID	PLC 2300612	1.28"	PLCD 2300612	1/4"	1.42"



EFC-12 9/32" 通徑 P.P. 製

規格

- ✓工作壓力:真空至105psi, 7.2 bar
- ✓連續使用溫度: 0°C至71°C
- ✓可提供符合美國國家衛生基金會NSF C-2規範的接頭

應用例

- ✓添充管路
- ✓排放管路
- ✓化學品分注管路
- ✓蠕動幫浦管路

材質

- ✓本體及閥: P.P.
- ✓內彈簧: 316不銹鋼
- ✓O-Ring: EPDM, 其它材質選用
- ✓顏色: 本體/淺灰色 扣門/黑灰色



快速接頭母座 Bodies

外牙/管內徑	編號 (附閥)	長度
外牙固定		
1/4" NPT	EFC D 10412	2.29"
3/8" NPT	EFC D 10612	2.29"
線上連接		
1/4" (6.4mm) ID	EFC D 17412	2.23"
3/8" (9.5mm) ID	EFC D 17612	2.23"
面板固定		
1/4" (6.4mm) ID	EFC D 16412	2.23"
3/8" (9.5mm) ID	EFC D 16612	2.23"



快速接頭插 Inserts

螺紋及管內徑	編號 (直通)	編號 (附閥)	長度
管鉤快速接頭插 Inserts			
1/4" (6.4mm) ID	EFC 22412	EFC D 22412	1.33"/2.08"
3/8" (9.5mm) ID	EFC 22612	EFC D 22612	1.33"/1.90"
外牙固定快速接頭插 Inserts 附閥			
1/4" NPT	-----	EFC D 24412	1.77"
3/8" NPT	-----	EFC D 24612	1.77"
管鉤彎頭 Elbow Hose Barb			
1/4" (6.4mm) ID	EFC 23412	EFC D 23412	1.32"/1.45"
3/8" (9.5mm) ID	EFC 23612	EFC D 23612	1.32"/1.45"



- ◀ 面板固定孔直徑: 0.720"
- ◀ 面板厚度: 1.25" max.

HFC-12

High Flow, 3/8" 通徑

規 格

- ✓工作壓力: 真空至60psi, 4.2 bar
- ✓使用溫度: 0°C 至 71°C
- ✓材質: 本體-P.P.
- ✓彈簧: 閥/扣門316不銹鋼
- ✓O-Ring: EPDM, 其它材質選用
- ✓顏色: 本體/淺灰色, 扣門/灰色

應 用 例

- ✓添充及排水管路
- ✓化學品輸送管路
- ✓冷卻水管路
- ✓相片沖洗化學品
- ✓噴霧裝置
- ✓廢水處理裝置



3 可提供符合美國國家衛生基金會NSF C-2 規範的接頭

快速接頭母座 Bodies

管內徑	編號 (直通)	編號 (附閥)	長度
外牙固定 Rigid Mount			
3/8" NPT	HFC 10612	HFCD 10612	2.69"
1/2" NPT	HFC 10812	HFCD 10812	2.88"
3/4" NPT	HFC 101212	HFCD 101212	3.07"
線上連接管鉤接頭 In Line Hose Barb			
3/8" (9.5mm) ID	HFC 17612	HFCD 17612	2.79"
1/2" (12.7mm) ID	HFC 17812	HFCD 17812	2.79"
5/8" (15.9mm) ID	HFC 171012	HFCD 171012	2.94"
3/4" (19mm) ID	HFC 171212	HFCD 171212	2.94"
面板固定管鉤接頭 Panel Mount Hose Barb			
3/8" (9.5mm) ID	HFC 16612	HFCD 16612	2.82"
1/2" (12.7mm) ID	HFC 16812	HFCD 16812	2.82"
5/8" (15.9mm) ID	HFC 161012	HFCD 161012	2.94"
3/4" (19mm) ID	HFC 161212	HFCD 161212	2.94"

◀ 面板固定孔直徑: 0.720" ◀ 面板厚度: 0.030"至 0.25"

◀ 面板固定孔墊片: EPDM



快速接頭插 Inserts

管內徑	編號 (直通)	編號 (附閥)	長度
外牙固定 Rigid Mount			
3/8" NPT	HFC 24612	HFCD 24612	1.77"/1.88"
1/2" NPT	HFC 24812	HFCD 24812	1.95"/2.06"
3/4" NPT	HFC 241212	HFCD 241212	2.14"/2.26"
管鉤接頭 Hose Barb			
3/8" (9.5mm) ID	HFC 22612	HFCD 22612	1.97"
1/2" (12.7mm) ID	HFC 22812	HFCD 22812	1.97"
5/8" (15.8mm) ID	HFC 221012	HFCD 221012	2.01"
3/4" (19mm) ID	HFC 221212	HFCD 221212	2.14"
管鉤彎頭 Elbow Hose Barb			
3/8" (9.5mm) ID	HFC 23612	HFCD 23612	1.93"/2.05"
1/2" (12.7mm) ID	HFC 23812	HFCD 23812	1.97"/2.09"
3/4" (19mm) ID	HFC 231212	HFCD 231212	1.95"

